


## Model: WR1200E


# AC1200 Wi-Fi Router



Up to 867 Mbps + 300 Mbps Wi-Fi Speed




((·)) MU-MIMO and Beamforming



Datasheet







Up to 1.2 Gbps Wi-Fi Speed: Enjoy smooth streaming, downloading, and gaming with extremely fast Wi-Fi Speed.

MU-MIMO









#### **Decent Wired and Wireless Home Network**

Enjoy ample wired port selection to connect your console, PC, and TV, thanks to 1× WAN and 3× LAN Fast Ethernet ports. With two 5-dBi antennas and 2×2 MIMO technology, WR300 provides 2-stream fast Wi-Fi for smooth video streaming and downloading, suitable for small and medium houses.

#### 5-in-1 Multi Mode

5 working modes all in one compact-sized router serve different SOHO networking scenarios. Router/WISP allow you to conenct to Internet via WAN or Wi-Fi, while Extender/AP modes boost your original network from Wi-Fi or LAN. The Client mode functions as an adapter, turning Wi-Fi into wired connections for wired-only clients.

NR1200E	



### Specifications

- Up to 1.2 Gbps Wi-Fi Speed: Enjoy smooth streaming, downloading, and gaming with extremely fast Wi-Fi Speed
- Router/AP/RE/WISP/Client Multi-Modes: 5 modes for creating or extend a network, via wired connection of Wi-Fi
- Extensive Coverage: Beamforming and four antennas combine to deliver focused reception to devices far away
- MU-MIMO: Optimize network efficiency with MU-MIMO technologies
- L2TP and PPTP VPN: Enable secure remote working and file access
- WPA3 Encryption: Enhances Wi-Fi protection against hacking

#### Hardware Features

Processor	580 MHz CPU	
Flash	64 Mbit (8 MB)	
DDR	512 Mbit (64 MB)	
Antennas	2× Fixed Omni-Directional Antennas	
Interfaces	1× 10/100/1000 Mbps WAN Port	
	3× 10/100/1000 Mbps LAN Ports	
Buttons	WPS Button, Reset Button	
External Power Supply	12 V / 1 A	
Dimension (WxDxH )	ension (WxDxH) 183.3×109×35 mm (7.22×4.29×1.38 inches)	

### Wireless Features

Wireless Standards	IEEE
	IEEE
Frequency	5 GH
Signal Rate	867
	Com
Transmit Power	CE: <
	FCC:
Wireless Modes	Enab
Wireless Security	WPA

E 802.11ac/n/a 5 GHz E 802.11n/b/g 2.4 GHz Hz, 2.4 GHz Mbps (5 GHz), 300 Mbps (2.4 GHz) npatible with 802.11a/b/g/n/ac Wi-Fi standards <20 dBm (2.4 GHz), <23 dBm (5 GHz) C: <30 dBm (2.4 GHz & 5 GHz) ble/Disable Wireless Radio, WMM A-PSK (WPA/WPA2/WPA3)

## cudy

#### Software Features

#### Others

WAN Type	Dynamic IP/Static IP/PPPoE	Package	AC1200 Wi-Fi Router
DHCP	Server, DHCP Client List, Address Reservation	Content	Power Adapter
		Content	RJ45 Ethernet Cable
Guest Network	2.4 GHz guest network × 1		
	5 GHz guest network × 1		Quick Installation Guide
NAT	Port Forwarding, Port Triggering, UPnP, DMZ	Dimension	118×80×27.5 mm
Working Modes	Wi-Fi Router/ Access Point/Extender/WISP/Client		4.65×3.15×1.08 inches
CWMP Protocols	TR069 / TR098 / TR111 / TR181	Environmental	Operating Temperature: 0 °C ~ 40 °C (32 °F ~104 °F)
ACS Server Compatibility	GenieACS, OpenACS	Requirements	Storage Temperature: -40 °C ~ 70 °C (-40 °F ~ 158 °F)
Management	Access Control, Local Management,		Operating Humidity: 10% ~ 90% non-condensing
	Remote Management, Wake on LAN		Storage Humidity: 5% ~ 90% non-condensing
TTL	Extend/Spoof/Custom	System	Windows, macOS, Android, iOS, or other OS with networking capability
DNS	Custom	Requirements	Firefox, Chrome, Safari, Edge, or other up-to-date web browsers
VLAN	Tag VLAN / IPTV		Cable/DSL/ONT modem or other internet source devices
Internet Protocols	IPv4 / IPv6		Internet subscription with ISP or carriers
IPv6	Relay		
	Dynamic (SLAAC/DHCPv6)		
	Static (Fixed IP)		
	Passthrough		
	MAP-E (Dual-stack)		
	DS-Lite (Dual-stack)		