

Product:

UA-G3-Fingerprint

Overview

Dimensions	126.2 x 45 x 56.9 mm (5 x 1.8 x 2.2")
UniFi Application Suite	Access
NFC Card & Keyfob Access	✓
PIN Access	✓
Apple/Google Wallet	✓
Mobile Unlock	✓
Fingerprint Unlock	✓
Fingerprint Capacity	300
Weatherproofing	IP55
NDAA Compliant	✓

Mechanical

Weight	164 g (5.8 oz)
Enclosure Material	Polycarbonate, aluminum alloy
Mount Material	Steel
Mounting	Wall, gang-box mount (Included) Junction box (Optional)

Hardware

Indoor and Outdoor Use	Yes
Networking Interface	(1) 10/100 MbE RJ45 port
Connectivity	BLE 4.2 NFC
Power Method	PoE
Max. Power Consumption	5W
Supported Voltage Range	48V DC
ESD/EMP Protection	Air: $\pm 8\text{kV}$, contact: $\pm 4\text{kV}$
Sensors	Capacitive Fingerprint
Speaker	✓
LEDs	R/G/B/W Learn More
Button	(1) Factory reset
NFC Frequency	13.56 MHz
NFC Read Range	< 30 mm (1.18")
NFC Technology	ISO 14443A, 14443B, 15693 NFC Tag 1,2,3,4,5 MIFARE Classic MIFARE Plus Mifare Ultralight MIFARE DESFire
Certifications	CE, FCC, IC
Ambient Operating Temperature	-30 to 50° C (-22 to 122° F)
Ambient Operating Humidity	5 to 90% noncondensing

Software

Management Application

Access

Software Information

The software version can be checked at <https://unifi.ui.com>









