

**DS-KD-ACF3/S**

- 3 Flush mounting module brackets of modular door station: includes gang box, cover screws, lines, etc.
- Stainless steel high quality material


## ▪ Specification

General	
Working temperature	-40 °C to 55 °C (-40 °F to 131 °F)
Dimension (W × H × D)	For cover 337.8 × 124 × 11.5 mm(13.3" × 4.88" × 0.45") For gang box 320.8 × 107 × 45 mm (12.63" × 4.21" × 1.77")
Material	Cover: stainless steel Gang Box: plastic

## ▪ Available Model

DS-KD-ACF3/S

## ▪ Dimension



## ▪ Accessory




DS-KD8003-IME2



DS-KD-KP#EU



DS-KD7003EY-IME2



DS-KD-BK




DS-KD8003-IME1(B)/  
NS



DS-KD8003-IME1(B)  
)/S



DS-KD8003-IME2/  
NS



DS-KD-IN



DS-KD8003Y-IME2/  
NS




DS-KD-KP



DS-KD-INFO




DS-KD8003-IME1/N  
S




DS-KD-M



DS-KD-DIS




DS-KD8003Y-IME2/  
S



DS-KD8003-IME2  
/S




DS-KD-KP/S



DS-KD-KK



DS-KD8003-IME1



DS-KD-E



DS-KD8003-IME1/S



DS-KD-KK/S

# See Far, Go Further



[www.hikvision.com](http://www.hikvision.com)  
[support@hikvision.com](mailto:support@hikvision.com)

